



Outdoor Security Wi-Fi Camera

Model: Tapo C310

Secure. Smart. Easy.



3MP High Definition



Motion Detection and Notifications



Wired or Wireless Networking



Weatherproof



// Highlight

Motion Detection, Instant Notifications, and Automatic Siren Protect You Day and Night

Tapo C310 is a full-featured weatherproof security camera that you can access from anywhere. Receive instant notifications and check feeds when the motion is detected. Moreover, the automatic siren system will trigger light and sound to frighten away unwanted visitors after the camera detects motion. Day or night, rain or shine, the Tapo camera protects what you love most.

// Features



3MP High Definition

Delivers high resolution video helping you never miss a detail.



Night Vision

Provides a visual distance of up to 98 ft (30m) even in total darkness to always keep you safe.



Wired or Wireless Networking

Connect the camera to your network through Ethernet or Wi-Fi for more flexible installation.



Two-Way Audio

Enables you to communicate in real-time through the built-in microphone and speaker.



Weatherproof

Helps Tapo C310 perform well even in harsh environments with rain and dust.



Local Storage (up to 128 GB)

Stores 3MP video directly to a local microSD card, offering convenient access to your video footage.

*microSD card needs to be purchased separately.

// Specifications

Camera

- Image Sensor: 1/2.8"
- Resolution: 3MP (2304 × 1296)
- Night Vision: 850 nm IR LED (up to 98 ft)
- Lens: F/NO: 2.2; Focal Length: 3.89 mm

Audio

- Audio Communication: 2-way audio
- Audio Input & Output: Built-in microphone and speaker

Video

- Video Compression: H.264
- Frame Rate: 15fps
- Video Streaming: 1296p

Activity Notifications

- Input Trigger: Motion detection
- Output Notification: Push notification


Network

- Wireless Protocols: IEEE 802.11b/g/n, 2.4 GHz, 2T2R
- Frequency: 2.4 GHz
- Wireless Security: WEP, WPA/WPA2-PSK
- Security: 128 bit AES encryption with SSL/TLS
- Protocol: TCP/IP, DHCP, ARP, ICMP, DNS, NTP, HTTP, HTTPS, UDP, ONVIF, RTSP

// Specifications

Hardware

- Port: Ethernet through RJ45 Port
- Button: RESET button
- LED: System LED
- Adapter Input: 100-240 V, 50/60 Hz, 0.3 A
- Adapter Output: 9.0 V, 0.6 A (DC Power)
- External Storage: microSD card slot (Supports up to 128GB)
- Dimensions (W x D x H): 5.6*4.1*2.5 in. (142.3*103.4*64.3 mm)



Others

- Weatherproof Ratings: IP66
- Certification: CE, RCM, RoHS, NCC, BSMI
- Package Contents:
 - Tapo C310
 - Power Adapter
 - Quick Start Guide
 - Anchors and Screws
 - Mounting Template
 - Waterproof Seal
 - Waterproof Cable Attachments
- Operating Temperature: -20 °C ~ 45 °C (-4°F ~ 113°F)
- Operating Humidity: 10%~90%RH, Non-condensing

*The microSD card is not included in the package.

Specifications are subject to change without notice. All brands and product names are trademarks or registered trademarks of their respective holders.
©2021 TP-Link